

CERTIFICATE

Autronica Fire and Security AS
Bromstadvegen 59
NO-7047 Trondheim
Norway

Certifikat nr.
Certificate no.
232.267

har på baggrund af vurderede systemegenskaber baseret på systemprøvningsrapport(er) for overensstemmelse mellem systembeskrivelse og gældende specifikationer i systemstandarder og/eller andre normative dokumenter opnået dette overensstemmelsescertifikat for systemet
has achieved this certificate of conformity based on evaluation of system approval test report(s) for conformity between system standards and(or) other normative documents for the system

AutroSafe 4 **Automatisk Branddetekterings- og Alarm-system**
Automatic Fire Detection and Alarm System

til anvendelse i automatiske brandalarmanlæg.
to be used in automatic fire detection and alarm systems.


Certifikatet tilkendegiver overensstemmelse med kravene i følgende standarder og andre normative dokumenter:
The certificate signifies compliance with the requirements in the following standards and other normative documents:

EN 54-13:2017+A1:2019 Fire detection and fire alarm systems – Part 13: Compatibility assessment of system components.

DBI Guideline 003 Fire safety systems

Certifikatet er kun gældende så længe systemet er i overensstemmelse med ovennævnte samt kravene i certificeringsordningen.
The certificate is only valid as long as the system is in conformity with the above mentioned and the requirements of the certification system.

Udstedt/Issued: 2026-04-16
Udløber/Expires: 2029-04-16
Erstatter tidligere udstedt certifikat : 2024-05-08
Replace previous issued certificate : 2024-05-08


Kenneth Maronie
Andrew Marc

Bilag/Annex: 1

OMFANG/*EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Control and indicating equipment with Power supply equipment	AutroSafe 4	2531-CPR-CSP11299
Control and indicating equipment with Power supply equipment	BS-420 Fire alarm control panel	2531-CPR-CSP11299
Control and indicating equipment with Power supply equipment	BS-420M Fire alarm control panel	2531-CPR-CSP11299
Control and indicating equipment with Power supply equipment	BS-420G Fire alarm control panel	2531-CPR-CSP11299
Control and indicating equipment with Power supply equipment	BS-430 Operator Panel	2531-CPR-CSP11299
Control and indicating equipment with Power supply equipment	BV-420 Information Panel	2531-CPR-CSP11299
Control and indicating equipment with Power supply equipment	BU-420 Fire Brigade Panel	2531-CPR-CSP11299
Control and indicating equipment with Short-circuit isolators	BU-110 Fire Brigade Panel	2531-CPR-CSP11299
Control and indicating equipment with Short-circuit isolators	BV-110 Alarm Information Panel	2531-CPR-CSP11299
Accessories to the above	BC-440 AS Controller Rack Unit	
Power Supply Equipment	AU2402	2821-CPR-0155
Power Supply Equipment	AU2405	2821-CPR-0156
Power Supply Equipment	AU2410	2821-CPR-0157
Power Supply Equipment	BPS-410	2531-CPR-CSP11300
Manual call point with isolator	BF-300V2	2531-CPR-CSP11296
Manual call point	BF-510WP-H	2531-CPR-CSP11296
Heat detectors and smoke detectors - Point detector using scattered light, transmitted light or ionization	V-430	2531-CPR-CSP11291
multicriteria detector + sounder	V-430-S	2531-CPR-CSP11291

multicriteria detector + visual alarm device (VAD), white	V-430-VADW	2531-CPR-CSP11291
multicriteria detector + sounder + visual alarm device (VAD), white	V-430-S-VADR	2531-CPR-CSP11291
multicriteria detector marine certificatio	V-430/M	2531-CPR-CSP11291
multicriteria detector + sounder, marine certification	V-430-S/M	2531-CPR-CSP11291
multicriteria detector + visual alarm device (VAD), white, marine certification	V-430-VADW/M	2531-CPR-CSP11291
multicriteria detector + visual alarm device (VAD), red, marine certification	V-430-VADR/M	2531-CPR-CSP11291
multicriteria detector + sounder + visual alarm device (VAD), white, marine certification	V-430-S-VADW/M	2531-CPR-CSP11291
multicriteria detector + sounder + visual alarm device (VAD), white, marine certification	V-430-S-VADR/M	2531-CPR-CSP11291
Combined smoke and heat detector with sounder and CO sensor	V-430-S-CO	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, black	V-430-S-CO-BK	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Customized color,	V-430-S-CO-CC	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Cover detection, SelfVerify 2.0, white	V-430-S-CO/CD	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Cover detection, white, Marine Certification	V-430-S-CO/CD/M	2531-CPR-CSP11291
Heat and smoke detector - Point detector using scattered light, transmitted light or ionization	V-530	2531-CPR-CSP11291
Heat and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-520/N	2531-CPR-CSP11302
Heat detectors and smoke detectors - Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-220 detector head and the base BWA-100	BH-220	2531-CPR-CSP11302
Heat detectors and smoke detectors - Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-320 detector head and the base BWA-100	BH-320	2531-CPR-CSP11302

Heat detectors and smoke detectors - Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-520 detector head and the base BWA-100	BH-520	2531-CPR-CSP11302
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-200 detector head and the base BWA-100	BH-200	2531-CPR-CSP11301
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-300 detector head and the base BWA-100	BH-300	2531-CPR-CSP11301
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-500 detector head and the base BWA-100	BH-500	2531-CPR-CSP11301
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators	BHH-200	2531-CPR-CSP11301
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators	BHH-300	2531-CPR-CSP11301
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators	BHH-500	2531-CPR-CSP11301
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators	BHH-500/N	2531-CPR-CSP11301
Heat detectors - Point detectors with Short-circuit isolators	BDH-500/EX	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators Complete set consisting of BDH-200 detector head and the base BWA-100	BD-200	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators Complete set consisting of BDH-200M detector head and the base BWA-100	BD-200M	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators Complete set consisting of BDH-300 detector head and the base BWA-100	BD-300	2531-CPR-CSP11303

Heat detectors - Point detectors with Short-circuit isolators Complete set consisting of BDH-500 detector head and the base BWA-100	BD-500	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BD-501	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BDH-200	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BDH-200M	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BDH-300	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BDH-500	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BD-501	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BDH-500/N	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	BD-501/N	2531-CPR-CSP11303
Flame detectors - Point detector with Short-circuit isolators	BG-201	2531-CPR-CSP11268
Flame detectors - Point detector	BG-21	2531-CPR-CSP11267
Triple IR flame detector	BG-301	2531-CPR-CSP11358
Triple IR flame detector	BG-301-EXIA	2531-CPR-CSP11358
Triple IR flame detector	BG-301-EXIC	2531-CPR-CSP11358
Sounders with Short-circuit isolators	BBQ-130	2531-CPR-CSP11323
Sounders with Short-circuit isolators	BBR-130	2531-CPR-CSP11321
Sounders with Short-circuit isolators and visual alarm device	BBR-230/IP	2531-CPR-CSP11320
Sounders with Short-circuit isolators and visual alarm device	BBR-230	2531-CPR-CSP11319
Sounders with Short-circuit isolators and visual alarm device	BBQ-230/IP	2531-CPR-CSP11316
Sounders with Short-circuit isolators and visual alarm device	BBQ-230	2531-CPR-CSP11316
Short-circuit isolators	BBL-100/IP Beacon Outdoor Adressable	2531-CPR-CSP11318
Short-circuit isolators	BBL-100 Beacon Indoor Adressable	2531-CPR-CSP11317

Short-circuit isolators	V-100	2531-CPR-CSP11293
Short-circuit isolators	V-110	2531-CPR-CSP11293
Short-circuit isolators	V-120	2531-CPR-CSP11293
Input/output devices with Short-circuit isolators	BN-303	2531-CPR-CSP11297
Input/output devices with Short-circuit isolators	BN-304	2531-CPR-CSP11297
Input/output devices with Short-circuit isolators	BN-305	2531-CPR-CSP11311
Input/output devices with Short-circuit isolators	BN-305-2	2531-CPR-CSP11311
Input/output devices with Short-circuit isolators	BN-305-D	2531-CPR-CSP11311
Input/output devices with Short-circuit isolators	BN-307	2531-CPR-CSP11311
Input/output devices with Short-circuit isolators	BNB-331	2531-CPR-CSP11311
Accessory to Adressable and conventional smoke, heat and multi detectors	Remote Indicator BU-47	Type 2 componet must be connected to Type 1 heat detector, smoke detector or multi detector
X units Zone 0 and Zone 1 EX komponenter Zone 0 og Zone 1		
Input/output devices	Barrier unit BZ-500	2531-CPR-CSP11310
Heat detectors - Point detectors with Short-circuit isolators Complete set consisting of BDH-500/EX detector head and the base BWA-100	Heat detector BD-500/EX	2531-CPR-CSP11303
Heat detectors - Point detectors with Short-circuit isolators	Heat detector BD-501/EX	2531-CPR-CSP11303
Manual call points with Short-circuit isolators	Call point BF-500V2/EX	2531-CPR-CSP11296
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-500/EX detector head and the base BWA-100	Optical detector BH-500/EX	2531-CPR-CSP11301
Heat detectors and smoke detectors - Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators Complete set consisting of BHH-520/EX detector head and the base BWA-100	Multi sensor BH-520/EX	2531-CPR-CSP11302

Inkluderet i EN 54-13 testrapport, men ikke godkendt under byggevareforordningen og DBI Retningslinje 003 <i>Included in EN 54-13 test report but not approved under the construction product regulation and DBI Guideline 003</i>		
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators	BHH-500/S	Not CPR certified.
Smoke Point detectors using scattered light, transmitted light or ionization with Short-circuit isolators	BHH-500/S/N	Not CPR certified.

Bilag/Annex: 2

PRØVNINGS DOKUMENTATION

TEST DOKUMENTATION

Akkediteret laboratorium <i>Accredited laboratory</i>	Rapport nr <i>Report no.</i>	Dato <i>Date</i>
DELTA	DANAK-19/11715, Project no. A530940	2011-12-21
DELTA	DANAK-19/12349, Project no. T201083	2012-08-16
Nemko	FSC541231001.00	2021-06-09
Nemko	REP102975C	2025-08-06
Applica	30320. Rev-01	2025-10-30

Bilag/Annex: 3

TEKNISK DOKUMENTATION

TECHNICAL DOCUMENTATION

Titel <i>Name</i>	Reference <i>Refence</i>	Dato <i>Date</i>
Installer's-Guide-eng,	Doc-1004799-1	2021-04-21
AutroSafe Operator's Handbook. Danish version.	Doc-1031018	2026-02-16
AutroSafe Shortform User Guide. Danish version.	Doc-1031020	2026-02-16

Bilag/Annex: 4

AFVIGELSER

DEVIANCE

Intet.
None.