

# CERTIFICATE

**Autronica Fire and Security AS**  
**Bromstadvegen 59**  
**NO-7047 Trondheim**  
**Norway**

Certifikat nr.  
Certificate no.  
**232.269**

har på baggrund af vurderede systemegenskaber baseret på systemprøvningsrapport(er) for overensstemmelse mellem systembeskrivelse og gældende specifikationer i systemstandarder og/eller andre normative dokumenter opnået dette overensstemmelsescertifikat for systemet  
*has achieved this certificate of conformity based on evaluation of system approval test report(s) for conformity between system standards and(or) other normative documents for the system*

**AutroPrime 2** **Automatisk Branddetekterings- og Alarm-system**  
**Automatic Fire Detection and Alarm System**

til anvendelse i automatiske brandalarmanlæg.  
*to be used in automatic fire detection and alarm systems.*

Certifikatet tilkendegiver overensstemmelse med kravene i følgende standarder og andre normative dokumenter:  
*The certificate signifies compliance with the requirements in the following standards and other normative documents:*

EN 54-13:2017+A1:2019 Fire detection and fire alarm systems – Part 13: Compatibility assessment of system components.

DBI Guideline 003 Fire safety systems

Certifikatet er kun gældende så længe systemet er i overensstemmelse med ovennævnte samt kravene i certificeringsordningen.  
*The certificate is only valid as long as the system is in conformity with the above mentioned and the requirements of the certification system.*

Udstedt/Issued: 2026-04-09  
Udløber/Expires: 2029-04-09  
Erstatter tidligere udstedt certifikat 2023/06/15  
*Replace previous issued certificate 2023/06/15*

  
Kenneth Maronie

  
Andrew Marc

Bilag/Annex: 1

## OMFANG/EXTENT

Type Type	Produkt Product	Certifikat Certificate
Control and indicating equipment with Power supply equipment	BS-200 Fire Alarm Control Panel	2531-CPR-CSP11307
Control and indicating equipment	BS-210 Operator Panel	2531-CPR-CSP11307
Control and indicating equipment	BS-211 Reapeter Panel	2531-CPR-CSP11307
Control and indicating equipment	BV-210 Information Panel	2531-CPR-CSP11307
Control and indicating equipment	BU-210 Fire Brigade Panel	2531-CPR-CSP11307
Control and indicating equipment	BU-211 Alarm Storing Panel	2531-CPR-CSP11307
Control and indicating equipment	BUR-200 LED Mimic Driver	2531-CPR-CSP11307
Power Supply Equipment	BPS-410	2531-CPR-CSP11300
Power Supply Equipment	AU2402	2821-CPR-0155
Power Supply Equipment	AU2405	2821-CPR-0156
Power Supply Equipment	AU2410	2821-CPR-0157
Asserories to the above	BUP-200 Printer unit.	N/A
Manual Call Points with Short-Circuit Isolator	BF-300-V2	2531-CPR-CSP11296
Manual Call Points with Short-Circuit Isolator	BF-510WP-H	2531-CPR-CSP11296
Heat detectors and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-220 detector head and the base BWA-100	BH-220	2531-CPR-CSP11302
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-220	2531-CPR-CSP11302
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-320 detector head and the base BWA-100	BH-320	2531-CPR-CSP11302

Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-320	2531-CPR-CSP11302
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-520	2531-CPR-CSP11302
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-200 detector head and the base BWA-100	BH-200	2531-CPR-CSP11301
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-200	2531-CPR-CSP11301
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-300 detector head and the base BWA-100	BH-300	2531-CPR-CSP11301
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-300	2531-CPR-CSP11301
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-500 detector head and the base BWA-100	BH-500	2531-CPR-CSP11301
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-500	2531-CPR-CSP11301
Heat detector - Point detector with Short-circuit isolator Complete set consisting of BDH-200 detector head and the base BWA-100	BD-200	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator	BDH-200	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator Complete set consisting of BDH-200M detector head and the base BWA-100	BD-200M	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator Complete set consisting of BDH-300 detector head and the base BWA-100	BD-300	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator	BDH-300	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator Complete set consisting of BDH-500 detector head and the base BWA-100	BD-500	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator	BDH-500	2531-CPR-CSP11303

Heat detector - Point detector with Short-circuit isolator	BD-501	2531-CPR-CSP11303
Flame detector - Point detector	BG-21	2531-CPR-CSP11267
Flame detector - Point detector with short-circuit isolator	BG-201	2531-CPR-CSP11268
Input/output device with Short-circuit isolator	BNB-331	2531-CPR-CSP11311
Input/output device with Short-circuit isolator	BN-303	2531-CPR-CSP11297
Input/output device with Short-circuit isolator	BN-304	2531-CPR-CSP11297
Input/output device with Short-circuit isolator	BN-305	2531-CPR-CSP11311
DIN-rail Input/output devices with Short-circuit isolators	BN-305-2	2531-CPR-CSP11311
DIN-rail Input/output device with Short-circuit isolator	BN-305-D	2531-CPR-CSP11311
Input/output device with Short-circuit isolator	BN-307	2531-CPR-CSP11311
Sounder with Short-circuit isolator	BBR-130	2531-CPR-CSP11321
Sounder with Short-circuit isolator and visual alarm device	BBR-230	2531-CPR-CSP11319
Sounder with Short-circuit isolator and visual alarm device	BBR-230/IP	2531-CPR-CSP11320
Sounder with Short-circuit isolator	BBQ-130	2531-CPR-CSP11323
Sounder with Short-circuit isolator and visual alarm device	BBQ-230/IP	2531-CPR-CSP11316
Sounder with Short-circuit isolator and visual alarm device	BBQ-230	2531-CPR-CSP11316
Short-circuit isolator	BBL-100/IP	2531-CPR-CSP11318
Short-circuit isolator	BBL-100	2531-CPR-CSP11317
AutroGuard Base with short-circuit isolator, standard version	V-100/AP	2531-CPR-CSP11293
AutroGuard Base with short-circuit isolator, Marine version	V-100/APM	2531-CPR-CSP11293
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with visual alarm device	V-430	2531-CPR-CSP11291
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with sounder	V-430-S	2531-CPR-CSP11291

Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with visual alarm device (white beacon)	V-430-VADW	2531-CPR-CSP11291
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with visual alarm device (red beacon)	V-430-VADR	2531-CPR-CSP11291
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with sounder and visual alarm device (white beacon)	V-430-S-VADW	2531-CPR-CSP11291
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with sounder and visual alarm device (red beacon)	V-430-S-VADR	2531-CPR-CSP11291
multicriteria detector marine certification	V-430/M	2531-CPR-CSP11291
multicriteria detector + sounder, marine certification	V-430-S/M	2531-CPR-CSP11291
multicriteria detector + visual alarm device (VAD), white, marine certification	V-430-VADW/M	2531-CPR-CSP11291
multicriteria detector + visual alarm device (VAD), red, marine certification	V-430-VADR/M	2531-CPR-CSP11291
multicriteria detector + sounder + visual alarm device (VAD), white, marine certification	V-430-S-VADW/M	2531-CPR-CSP11291
multicriteria detector + sounder + visual alarm device (VAD), red, marine certification	V-430-S-VADR/M	2531-CPR-CSP11291
multicriteria detector + Sounder, CO	V-430-S-CO	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, black	V-430-S-CO-BK	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Customized color,	V-430-S-CO-CC	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Cover detection, white, Marine Certification	V-430-S-CO/CD/M	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Cover detection, SelfVerify 2.0, white	V-430-S-CO/CD	2531-CPR-CSP11291
multicriteria detector + Sounder, CO, Cover detection, white, Marine Certification	V-430-S-CO/CD/M	2531-CPR-CSP11291
<b>X units Zone 2</b>		
<b>EX komponenter Zone 2</b>		
Heat detector - Point detector with Short-circuit isolator Complete set consisting of BDH-500/N detector head and the base BWA-100	BD-500/N	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator	BD-501/N	2531-CPR-CSP11303

Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-500/N detector head and the base BWA-100	BH-500/N	2531-CPR-CSP11301
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BDH-520/N detector head and the base BWA-100	BH-520/N	2531-CPR-CSP11302
<b>X units Zone 0, Zone 1 and Zone 2</b> <b>EX komponenter Zone 0, Zone 1 og Zone 2</b>		
Input/output device: Barrier unit	BZ-500	2531-CPR-CSP11310
Heat detector - Point detectors with Short-circuit isolator Complete set consisting of BDH-500/EX detector head and the base BWA-100	BD-500/EX	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator	BD-501/EX	2531-CPR-CSP11303
Heat detector - Point detector with Short-circuit isolator	BDH-500/EX	2531-CPR-CSP11303
Manual Call Point with Short-circuit isolator	BF-500V2/EX	2531-CPR-CSP11296
Smoke Point detector using scattered light, transmitted light or ionization with Short-circuit isolator	BHH-500/EX	2531-CPR-CSP11301
Heat detector and smoke detector - Point detector using scattered light, transmitted light or ionization with Short-circuit isolator Complete set consisting of BHH-520/EX detector head and the base BWA-100	BH-520/EX	2531-CPR-CSP11302
Accessory to Adressable and conventional smoke, heat and multi detectors: Remote Indicator	BU-47	Type 2 componet must be connected to Type 1 heat detector, smoke detector or multi detector
<b>Marine komponenter (Ikke godkendt under byggevareforordningen og DBI Retningslinje 003, men inkluderet i EN 54-13 testrapport)</b> <b>Marine components (Not approved under the construction product regulation and DBI Guideline 003, but included in EN 54-13 test report)</b>		
AutroGuard® Multicriteria protector	V-430/M	MEDB0000646 Rev. 01, MEDB00006DJ Rev. 01 and MEDD0000141 Rev. 02
AutroGuard® Multicriteria protector with sounder	V-430-S/M	MEDB0000646 Rev. 01, MEDB00006DJ Rev. 01 and MEDD0000141 Rev. 02
AutroGuard® Multicriteria protector with white VAD (visual alarm device)	V-430-VADW/M	MEDB0000646 Rev. 01, MEDB00006DJ Rev. 01 and MEDD0000141 Rev. 02
AutroGuard® Multicriteria protector with red VAD	V-430-VADR/M	MEDB0000646 Rev. 01, MEDB00006DJ Rev. 01 and MEDD0000141 Rev. 02

AutroGuard® Multicriteria protector with sounder and white VAD	V-430-S-VADW/M	MEDB0000646 Rev. 01, MEDB00006DJ Rev. 01 and MEDD0000141 Rev. 02
AutroGuard® Multicriteria protector with sounder and red VAD	V-430-S-VADR/M	MEDB0000646 Rev. 01, MEDB00006DJ Rev. 01 and MEDD0000141 Rev. 02
<b>Inkluderet i EN 54-13 testrapport, men ikke godkendt under byggevareforordningen og DBI Retningslinje 003</b> <b><i>Included in EN 54-13 test report but not approved under the construction product regulation and DBI Guideline 003</i></b>		
High sensitivity smoke detector with short-circuit isolator functionality	BHH-500/S	Not CPR certified

Bilag/Annex: 2

## PRØVNINGSdokUMENTATION TEST DOKUMENTATION

Akkrediteret laboratorium <i>Accredited laboratory</i>	Rapport nr <i>Report no.</i>	Dato <i>Date</i>
DELTA	DANAK-1910238	2008-07-24
DELTA	DANAK-1912598	2012-11-14
Nemko	FSC541231002.00	2021-04-21
Nemko	FSC541321002.01	2022-11-29
Nemko	E18106.00	2018-12-30
Nemko	REP107711D	2025-08-06

Titel <i>Name</i>	Reference <i>Refence</i>	Dato <i>Date</i>
Installer's-Guide-eng,	Doc-1004799-1	2021-04-21
Autroprime Operator's Handbook, Danish version.	Doc-1031019	2026-02-16
AutroPrime Shortform User Guide. Danish version.	Doc-1031021	2026-02-16

Bilag/Annex: 4

## AFVIGELSER DEVIANCE

Intet.  
None.