

1 EU-TYPE EXAMINATION CERTIFICATE



2 **Equipment or Protective systems intended for use in Potentially
Explosive Atmospheres - Directive 2014/34/EU**

3 **EU-Type Examination Certificate No:** FM13ATEX0101X

4 **Equipment or protective system:
(Type Reference and Name)** AutroVu® AV20 Universal Display Unit

5 **Name of Applicant:** Autronica Fire and Security AS

6 **Address of Applicant:** Bromstadveien 59
7483 Trondheim
Norway

7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and documents therein referred to.

8 FM Approvals Ltd, notified body number 1725 in accordance with Article 17 of Directive 2014/34/EU of 26 February 2014, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential report number:

3050447 dated 22nd January 2014

9 Compliance with the Essential Health and Safety Requirements, with the exception of those identified in item 15 of the schedule to this certificate, has been assessed by compliance with the following documents:

EN 60079-0:2012 + A11:2013, EN 60079-1:2007, EN 60079-29-1:2007, EN 60529:1991 + A1:2000

10 If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to specific conditions of use specified in the schedule to this certificate.

11 This EU-Type Examination certificate relates only to the design, examination and tests of the specified equipment or protective system in accordance to the directive 2014/34/EU. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

12 The marking of the equipment or protective system shall include:



II 2 G Ex db IIC T6 Ta = -20°C to +70°C; IP66

Mick Gower
Certification Manager, FM Approvals Ltd.

Issue date: 19th January 2017

THIS CERTIFICATE MAY ONLY BE REPRODUCED IN ITS ENTIRETY AND WITHOUT CHANGE

FM Approvals Ltd. 1 Windsor Dials, Windsor, Berkshire, UK. SL4 1RS
T: +44 (0) 1753 750 000 F: +44 (0) 1753 868 700 E-mail: atex@fmapprovals.com www.fmapprovals.com

SCHEDULE

to EU-Type Examination Certificate No. FM13ATEX0101X

13 Description of Equipment or Protective System:

The AutoVu® Model AV20 Universal Display unit is designed to be used with the GT3000 Toxic Gas Detector or PIRECL Combustible Gas Detector. The AV20 functions as a pass through device, reading the linear 4-20 mA dc output signal from the gas detector. The detected gas concentration is indicated on an alpha-numeric display. The AV20 automatically detects the gas type and operating range of the sensor to which it is connected via the HART signal.

The AV20 Instrument Housing is of stainless steel or aluminium. There are five entries tapped for either ½ inch NPT, ¾ inch NPT, M20 or M25. The cover screws directly to the base of the enclosure and has a cemented window on the face of the cover.

The operating temperature range of the equipment is -20°C to +70°C.

Electrical parameters:

U = 18-30 Vdc, P = 1 W maximum

AutoVu® AV20abc26d2. Universal Display Unit.

a = Enclosure Type: A or S.

b = Number of Ports: 2, 3, 4, or 5.

c = Thread Type: E, F, N or M.

d = Approval: E, T or W.

14 Specific Conditions of Use:

The AV20 control unit complies with EN 60079-29-1 only when connected to a Detector head that also has been evaluated to EN 60079-29-1.

15 Essential Health and Safety Requirements:

The relevant EHSRs that have not been addressed by the standards listed in this certificate have been identified and assessed in the confidential report identified in item 8.

16 Test and Assessment Procedure and Conditions:

This EU-Type Examination Certificate is the result of testing of a sample of the product submitted, in accordance with the provisions of the relevant specific standard(s), and assessment of supporting documentation. It does not imply an assessment of the whole production.

Whilst this certificate may be used in support of a manufacturer's claim for CE Marking, FM Approvals Ltd accepts no responsibility for the compliance of the equipment against all applicable Directives in all applications.

This Certificate has been issued in accordance with FM Approvals Ltd's ATEX Certification Scheme.

17 Schedule Drawings

A list of the significant parts of the technical documentation is annexed to this certificate and a copy has been kept by the Notified Body.

THIS CERTIFICATE MAY ONLY BE REPRODUCED IN ITS ENTIRETY AND WITHOUT CHANGE

SCHEDULE



to EU-Type Examination Certificate No. FM13ATEX0101X

18 Certificate History

Details of the supplements to this certificate are described below:

Date	Description
22 nd January 2014	Original Issue.
19 th January 2017	Supplement 1: Report Reference: 3057413 dated 15 th January 2017 Description of the Change: <ol style="list-style-type: none">1. Addition of Model PIRECL for use with the Model AV20.2. Update standards3. Update to EU format certificat



THIS CERTIFICATE MAY ONLY BE REPRODUCED IN ITS ENTIRETY AND WITHOUT CHANGE

FM Approvals Ltd. 1 Windsor Dials, Windsor, Berkshire, UK. SL4 1RS
T: +44 (0) 1753 750 000 F: +44 (0) 1753 868 700 E-mail: atex@fmapprovals.com www.fmapprovals.com